



Summerwinds B.I.S. LLC
5690 Dehesa Rd
El Cajon, CA 92019
PHONE: (619) 445-4800
FAX: (619) 445-3792
Email: summerwindsBis@aol.com
Website: www.summerwinds.com

THE SOLUTION

TRAV-L-TABS

BRIDGE THE GAP BETWEEN PET HEALTH & NUTRITION

For fast, effective repopulation of the digestive system of warm-blooded pets TRAV-L-TABS is the natural choice.



TRAV-L-TABS re-supply living beneficial bacteria to the digestive system whenever stresses reduce their number:

Parvo Virus Symptoms
Corona Virus Symptoms
Pre and Post Surgical Stress
Worming Stress
Whelping Stress
Antibiotic Therapy
Animal Shipment
Animal Transport & Travel
Change In Diets & Water

Working Stress (racing, etc.)
Showing Stress
Training Stress
Grooming Stress
Boarding Stress
All Inoculation Stress
Weaning Stress
Puppies, New Environment Stress

Characteristics of the above stresses include:

Diarrhea
Dehydration
Appetite Loss

Vomiting
Irritability/Hyperactivity
No Weight Gain

Results from the above applications are substantiated by the testimonials of leading breeders, kennels, and professional handlers across the nation.

(2)

**TRAV-L-TABS
DOSAGE INFORMATION**

PRODUCT DESCRIPTION: An ingestible tablet containing living **LACTOBACILLUS ACIDOPHILUS USED TO CONDITION THE INTESTINAL TRACT OF WARM BOODED ANIMAS AND ADUT ANIMAS OF ALL AGES**. Packaged in 150-500 tabs in plastic bottles, it is administered orally or onto food. In the case of newborns, crush into fine powder mix with distilled water into manageable paste. Apply ½ ml. to roof of the mouth for 7-10 days.

PRODUCT CHARACTERISTICS: Bacteria; cultures adhere to the rigid definition pf the true macrobiotic culture. They implant (conditions) the animal's intestinal wall. They are viable (live) and therefore capable of effectively altering intestinal populations of both beneficial and pathogenic organisms. It contains specific counts of **LACTOBACILLUS ACIDOPHLUS**. **TRAV-L-TABS** are stabilized in a unique processed form. Has the ability to colonize in the presence of most antibiotics.

SUMMARY: When used as directed, **TRAV-L-TABS** tablets can provide the positive responses where conditions are less than ideal. **TRAV-L-TABS** cultures can contribute to improved food consumption and stool consistency as established in trial research involving pets of different ages and weights. Independent research has shown conclusively that animals are dependent upon populations of identified strains of select intestinal bacteria for good health.

STRESS DOSAGE: 1tab per day up to 40 lbs/ 1 tab every 12 hours over 40lbs. Whenever the following stress conditions exist: diarrhea, appetite loss, vomiting and dehydration. There is no need to give over 1 tab every 12 hours even to the largest breed of dog. It would only be a waste of product. You can **NOT** overdose, this is a natural product containing no drugs.

ANTIBIOTIC THERAPY: Give the **STRESS DOSAGE** every time the antibiotic medication is given and continue for 2-3 days after discontinuing the therapy for complete intestinal re-balance.

PRE & POST SURGERY: Give the **STRESS DOSAGE** for animal weight before the surgery if possible and 2-3 days after surgery for recovery period.

WORMING: Worming medications are forms of poisons. Worming depletes **LACTOBACILLUS ACIDOPHILUS**, especially those used on a daily basis for example: Heart Worm: When worming for Tape, Round, etc., use the **STRESS DOSAGE** the day before worming, the day of, and the day after.

INOCULATIONS: Vaccines that are given to prevent various diseases, in some cases cause illness, such as Rabies DHL's Cat Fever, Parco, etc. **TRAVEL-L-TABS** help the animal to maintain firm stools and lowers the chances of upset stomach. Give every 12 hours.

PREVENTATIVE APPLICATION DOSAGE: Give the **STRESS DOSAGE** (depending on the size of the animal)the day before a show (Field Trail, Race, etc.) the day of and the day after the show in case of any exposure to virus or stress.

BREEDING PERIOD: Give the **STRESS DOSAGE** every 12 hours to the bitch during the breeding period.

GESTATION PERIOD: Maintain the bitch during this period with the **TRAV-L-TABS** on a daily maintenance plan.

WHELPING PERIOD: 3 to 5 days before the whelping date, give the **STRESS DOSAGE**. In anticipation of any unforeseen complications: Emergency C Section Uterus Infection Bad Milk, Antibiotic Therapy, etc.

LACTATING PERIOD: Maintain the bitch on the **TRAV-L-TABS** maintenance plan unless a stress condition develops, at which time give the **STRESS DOSAGE** using the **TRAV-L-TABS**.

WEANING PERIODS: Give ¼ tablet every day for this period, when on solid food, start the **TRAV-L-TABS** Daily Maintenance pan for good health.

TRAVE-L-TABS IS BRIDGING THE GAP BETWEEN PET HEALTH AND NUTRITION
